Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

IGF1 LR3 100 mcg

Report To:
Licensed Peptides

Compound: IGF1 LR3
Quantity: 100 mcg
Laboratory ID: V260123-1 002
Lot Number: IGF1LR3-01
Date Reported: 2/10/2026

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 260123, 260203

LICENSED PEPTIDES

Report By: Dustin Newman, Laboratory Director on 2/10/2026

Approved By: Tori Johnson, Operations Manager on 2/10/2026

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.


Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

IGF1 LR3 100 mcg

Report To:
Licensed Peptides

Compound: IGF1 LR3
Quantity: 100 mcg
Laboratory ID: V260123-1 002
Lot Number: IGF1LR3-01
Date Reported: 2/10/2026



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	99.03% ± 0.18%
Quantity	HPLC-UV/VIS	96 mcg
Endotoxins	LAL	Pass - <5.00 EU/mg*
Sterility	USP <71>	Pass - No Growth Detected

*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 2/10/2026

Approved By: Tori Johnson, Operations Manager on 2/10/2026

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.