Customer:
Licensed Peptides

EA Sample ID: 26EA0318-039
Sample Name: Selank Nasal 40mg
Sample Type: Liquid
Batch/Lot: 26053008

Date Received:
03/19/2026
Date Completed:
03/26/2026

ETHOS ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

Analysis Type	Method	Date Tested	Status
Peptides	HPLC	03/26/2026	Complete



30ml Spray Bottle

Peptide Analysis

Analyte	Result	Specification	LOQ (%)
Selank	41.79mg/bottle	40mg/bottle	0.1

Identity of the analyte was confirmed by retention time concordance with a certified reference standard, per USP <621>

NOTES:

LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION

ETHOS ANALYTICS
Ethos Analytics Laboratory
3020 E Camelback Rd STE 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io
Lic #: 000026LRCND60176649
ISO/IEC 17025 Acc #: 117798

Noel Samsum
Laboratory Director
26-Mar-2026

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.